

ALLFINE

# PRODUCT CATALOGUE



+91-9220 315 907  
www.allfine.in | marketing@allfine.in



ALLFINE INDUSTRIES PVT. LTD.



Khewat/ Khata No- 1120/1250 Opp. M/s Dorset Industries Pvt Ltd, Vill-bhora Kalan., Binola, Distt-gurgaon, Haryana-122413



+91 9220315907



[www.allfine.in](http://www.allfine.in)



[marketing@allfine.in](mailto:marketing@allfine.in)



# Powering India's Electric Future

**Smart. Strong. Sustainable**

Ev Solution for Every Business.

## AF-7 ECO DX LI



ALLFINE



+91-9220 315 907  
marketing@allfine.in



ALLFINE

## AF-7 ECO DX Li (Economy)

- ANTI THEFT SYSTEM
- ALLOY WHEEL
- FLOOR MAT
- LUGGAGE CARRIER
- REAR STEEL GUARD
- FIRE EXTINGUISHER
- FM STEREO WITH CONSOLE
- PLASTIC MONEY POCKET STEPNEY
- FRONT WINDSHIELD WITH MOTOR WIPER BLADE
- CURTAINS
- FAN
- HEAVY TOOL KIT
- RUBBER MUDFLAP

Attribute	AF-7 ECO DX Li
VEHICLE CATEGORY	L3
PASSENGER CAPACITY	4 + 1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	51.2 V 105 Ah LFP / 60.8 V 105 Ah LFP / 60.8 V 125 Ah LFP
BATTERY CAPACITY	5.4 Kw-h / 6.4 Kw-h / 7.6 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	2.86 Kw
MAX TORQUE	34 N.m
MOTOR	1.2 KW PMSM
CONTROLLER	48/60 V 55 A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2775 mm (L) 990 mm (W) 1765 mm (H)
WHEELBASE	2170 mm
REAR WHEELBASE	900 mm
GROUND CLEARANCE	160 mm
FRONT WHEEL SIZE	3.75 - 12 inch
REAR WHEEL SIZE	3.75 - 12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	Upto 378 Kg - 60.8 V 125 Ah / Upto 367 Kg - 60.8 V 105 Ah / Upto 356 Kg - 51.2 V 105 Ah
MAX LOADING	upto 500 KG
<b>PERFORMANCE</b>	
SPEED	25 Km / hr
RANGE	Upto 140 Km / Charge- 60.8 V 125 AH LFP Upto 120 Km / Charge - 60.8 V 105 AH LFP Upto 100 Km / Charge - 51.2 V 105 AH LFP
<b>CHARGER</b>	
TYPE	60.8 V - 20 Amp / 51.2 V - 25 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SUSPENSION	Leaf Springs with Shocker and Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD
HEADLIGHT	Bi Function Class B Projector Head Lamp with Front Position Light
INDICATOR & TAIL LIGHT	Front and Rear LED indicator
Attribute	LH & RH
COLOUR	Red / Blue/ Green / Orange/ Dark blue / Black

Comfortable Rides for Growing Minds

Ergonomic seating, smooth drive

# AF-7 ECO DX LI (Economy)



+91-9220 315 907  
marketing@allfine.in



# AF-7 ECO DX Li (Economy)

- MS Wheel
- Luggage Carrier
- Rear MS Guard
- Fire Extinguisher
- FM Sterio with Console
- Money Pocket
- Stepney
- Front Windsheild with Motor Wiper Blade
- Curtains
- Heavy Tool Kit
- Rubber Mudflap

Attribute	AF-7 ECO DX Li (Economy)
VEHICLE CATEGORY	L3
PASSENGER CAPACITY	4 + 1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	51.2 V 105 Ah LFP / 60.8 V 105 Ah LFP
BATTERY CAPACITY	5.4 Kw-h / 6.4 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	2.86 Kw
MAX TORQUE	34 N.m
MOTOR	1.2 KW PMSM
CONTROLLER	48/60 V 55 A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2775 mm (L) 990 mm (W) 1765 mm (H)
WHEELBASE	2170 mm
REAR WHEELBASE	900 mm
GROUND CLEARANCE	160 mm
FRONT WHEEL SIZE	3.75 - 12 inch
REAR WHEEL SIZE	3.75 - 12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	Upto 367 Kg - 60.8 V 105 Ah Upto 356 Kg - 51.2 V 105 Ah
MAX LOADING	upto 500 KG
<b>PERFORMANCE</b>	
SPEED	25 Km / hr
RANGE	Upto 120 Km / Charge - 60.8 V 105 AH LFP Upto 100 Km / Charge - 51.2 V 105 AH LFP
<b>CHARGER</b>	
TYPE	60.8 V - 18 Amp / 51.2 V - 18 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SUSPENSION	Leaf Springs with Shocker and Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD
HEADLIGHT	Bi Function Class B Projector Head Lamp with Front Position Light
INDICATOR & TAIL LIGHT	Front and Rear LED indicator
Attribute	LH & RH
COLOUR	Red / Blue/ Green / Orange/ Dark blue / Black

# Smart Waste Collection

for a Cleaner Tomorrow

## AF-7 GARBAGE



+91-9220 315 907  
marketing@allfine.in



ATTRIBUTE	AF - 7 GARBAGE
VEHICLE CATEGORY	L5
PASSENGER CAPACITY	1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	60.8 V 150 AH LFP
BATTERY CAPACITY	9.12 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	10.0 Kw
MAX TORQUE	85 N.m
MOTOR	5.8 Kw PMSM
CONTROLLER	60 V 124 A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2900 mm (L) 1000 mm (W) 1810 mm (H)
Cargo Box Size	1300 mm (L) 900 mm (W) 1000 mm (H) (Dual chamber, separate door, covered)
WHEELBASE	2005 mm
REAR WHEELBASE	900 mm
GROUND CLEARANCE	180 mm
FRONT WHEEL SIZE	3.75 - 12 inch
REAR WHEEL SIZE	3.75 - 12 inch
HYDRAULIC TIPPING ANGLE	62-65 Degree
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	500 KG
MAX LOADING	300-400 KG
<b>PERFORMANCE</b>	
SPEED	25 Km / hr
RANGE	60 - 80 Km / charge- 60 V 150 AH LFP
GRADIENT	≤ 30 degree
<b>CHARGER</b>	
TYPE	60 V 25 Amp
CHARGE TIME	3 - 4 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SUSPENSION	Leaf Springs with Shocker and Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD
HEADLIGHT	Bi Function Class B Projector Head Lamp with Front Position Light
INDICATOR & TAIL LIGHT	Front and Rear LED indicator
REAR MIRROR	LH & RH
ANTI THEFT SYSTEM	Yes



## AF-7 GARBAGE

- 100% Electric & Eco-Friendly
- Low Noise, Zero Emission
- High Load Capacity
- Compact & Easy to Operate
- Low Running & Maintenance Cost

# THE POWER OF EV

## AF 7 - L500 DX



The Reliability of Allfine.

Built with Precision

Tested for Indian Terrains



+91-9220 315 907  
marketing@allfine.in



# AF-7 L 500 DX

- ANTI THEFT SYSTEM
- ALLOY WHEEL
- FIRE EXTINGUISHER
- FM STEREO WITH CONSOLE PLASTIC MONEY POCKET STEPNEY
- FRONT WINDSHIELD WITH MOTOR WIPER BLADE
- FAN
- HEAVY TOOL KIT
- RUBBER MUDFLAP

Attribute	AF 7 L500 DX
VEHICLE CATEGORY	L3
PASSENGER CAPACITY	1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	51.2 V 105 Ah LFP / 60.8 V 105 Ah LFP / 60.8 V 125 Ah LFP
BATTERY CAPACITY	5.4 Kw-h / 6.4 Kw-h / 7.6 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	2.86 Kw
MAX TORQUE	34 N.m
MOTOR	1.2 KW PMSM
CONTROLLER	48/60 V 55 A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2850 mm (L) 1000 mm (W) 1810 mm (H)
CONTAINER SIZE	1345 mm (L) 1000 mm (W) 1130 mm (H)
WHEELBASE	2070 mm
REAR WHEELBASE	905 mm
GROUND CLEARANCE	160 mm
FRONT WHEEL SIZE	3.75 - 12 inch
REAR WHEEL SIZE	3.75 - 12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	Upto 480 Kg - 60.8 V 125 Ah / Upto 460 Kg - 60.8 V 105 Ah / Upto 450 Kg - 51.2 V 105 Ah
MAX LOADING	upto 500 KG
<b>PERFORMANCE</b>	
SPEED	25 Km / hr
RANGE	Upto 130 Km / Charge- 60.8 V 125 AH LFP Upto 110 Km / Charge - 60.8 V 105 AH LFP Upto 90 Km / Charge - 51.2 V 105 AH LFP
<b>CHARGER</b>	
TYPE	60.8 V - 20 Amp / 51.2 V - 25 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SHOCKER	Leaf Springs with Shocker and Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD
HEADLIGHT	Bi Function Class B Projector Head Lamp with Front Position Light
INDICATOR & TAIL LIGHT	Front and Rear LED indicator
REAR MIRROR	LH & RH

# Allfine EV

Engineered for Performance

Your Trusted Partner for Daily Profit

## AF 13 - ECO PLUS



+91-9220 315 907  
marketing@allfine.in



Attribute	AF 13 - ECO PLUS
VEHICLE CATEGORY	L5
PASSENGER CAPACITY	6+1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	60.8 V 125 AH LFP / 60.8 V 150 AH LFP
BATTERY CAPACITY	7.60 Kw-h / 9.12 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	5.0 Kw @ 4100 RPM
MAX TORQUE	55 N.m
MOTOR	1800 W PMSM
CONTROLLER	60 V 75A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2700 mm (L) 1175 mm (W) 1820 mm (H)
WHEELBASE	2100 mm
REAR WHEELBASE	1165 mm
GROUND CLEARANCE	160 mm
FRONT WHEEL SIZE	3.75 -12 inch
REAR WHEEL SIZE	3.75 -12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	Upto 525 Kg - 60 V 125 Ah Upto 535 Kg - 60 V 150 Ah ≤ 1000 Kg
<b>PERFORMANCE</b>	
MAX LOADING	
MAX SPEED	35 Km / hr
RANGE	110 Km / charge- 60 V 125 AH LFP 140 Km / charge - 60 V 150 AH LFP
GRADIENT	≤ 15 degree
<b>CHARGER</b>	
TYPE	60 V 25 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SUSPENSION	4 Leaf Springs with Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD With Bluetooth
HEADLIGHT	Dual Bi Function Class D Projector Head Lamp
INDICATOR & TAIL LIGHT	Front & Rear LED Indicator
REAR MIRROR	LH & RH



## AF 13 ECO PLUS

- ANTI THEFT SYSTEM
- ALLOY WHEEL
- FIRE EXTINGUISHER
- FM STEREO WITH CONSOLE PLASTIC MONEY POCKET STEPNEY
- FRONT WINDSHIELD WITH MOTOR WIPER BLADE
- FAN
- HEAVY TOOL KIT
- RUBBER MUDFLAP

# Smart Safe School Ready

Safe Rides for Little Smiles ...

## AF 12 SCHOOL BUS



ALLFINE



+91-9220 315 907  
marketing@allfine.in



ALLFINE

## AF 12 SCHOOL BUS

- 100% Electric & Eco-Friendly
- Low Noise, Zero Emission
- High Load Capacity
- Compact & Easy to Operate
- Low Running & Maintenance Cost

Attribute	AF 12 - SCHOOL BUS
VEHICLE CATEGORY	L5
PASSENGER CAPACITY	10 + 1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	60.8 V 125 AH LFP
BATTERY CAPACITY	7.6 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	5.0 Kw @ 4100 RPM
MAX TORQUE	55 N.m
MOTOR	1800 W PMSM
CONTROLLER	60 V 75A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	3150 mm (L) 1290 mm (W) 1910 mm (H)
WHEELBASE	2100 mm
REAR WHEELBASE	1140 mm
GROUND CLEARANCE	235 mm
FRONT WHEEL SIZE	4.50-12 inch
REAR WHEEL SIZE	4.50-12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	600 KG
MAX LOADING	≤ 1000 KG
<b>PERFORMANCE</b>	
MAX SPEED	35 Km / hr
RANGE	120 Km / charge- 60 V 125 AH LFP
GRADIENT	≤ 15 degree
<b>CHARGER</b>	
TYPE	60 V 25 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKING DISTANCE	3.8 m
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Hydraulic Shocker
REAR SUSPENSION	Leaf Springs
<b>FEATURES</b>	
SPEEDOMETER	LCD With Bluetooth
HEADLIGHT	Dual Bi Function Class D Projector Head Lamp
INDICATOR & TAIL LIGHT	Front LED indicator, Rear LED Light
REAR MIRROR	LH & RH
ANTI THEFT SYSTEM	Yes

# New Launch

• PASSENGER

## AF 10 - BIJLI



+91-9220 315 907  
marketing@allfine.in



## AF 10 BIJLI

- 100% Electric & Eco-Friendly
- Low Noise, Zero Emission
- High Load Capacity
- Compact & Easy to Operate
- Low Running & Maintenance Cost

Attribute	AF 10 - BIJLI
VEHICLE CATEGORY	L5
PASSENGER CAPACITY	3 + 1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	76.8 V 162.5 AH LFP
BATTERY CAPACITY	12.48 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	10 Kw @ 6500 RPM
MAX TORQUE	85 N.m
MOTOR	4000 W PMSM
CONTROLLER	76.8V 120A WITH CAN SYSTEM
COOLING SYSTEM	Liquid cooling System for Motor & Controller
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	2690mm (L) 1340 mm (W) 1800 mm (H)
WHEELBASE	2005 mm
REAR WHEELBASE	1165 mm
GROUND CLEARANCE	320 mm
MIN TURNING RADIUS	1700 mm
FRONT WHEEL SIZE	4.00-12 inch
REAR WHEEL SIZE	4.00-12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	600 KG
MAX LOADING	≤ 600 kg
<b>PERFORMANCE</b>	
MAX SPEED	55 km / hr
RANGE	200 Km / Charge - 76.8 V 162.5 AH LFP
GRADIENT	≤ 20 degree
<b>CHARGER</b>	
TYPE	Input AC 196 V-260 V , Output DC 86.4 V 3000 W , On-board
CHARGE TIME	3 - 4 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKING DISTANCE	3.8 m
BRAKE METHOD	Front 180 mm , Rear 220 mm Hydraulic Drum Brake
FRONT SHOCKER	Swing Arm with Shock Absorber
REAR SHOCKER	Superior Independent Suspension System
<b>FEATURES</b>	
SPEEDOMETER	Digital Multimedia Cluster, 7-inch LCD, MP3/MP4 , Reverse Camera Image
HEADLIGHT	Dual Bi Function Class D Projector Head Lamp
INDICATOR & TAIL LIGHT	Front LED indicator, Rear LED Light
REAR MIRROR	LH & RH with Turn Signal
ANTI THEFT SYSTEM	Yes

# New Launch

• CARGO

## AF 11 – BIJLI



+91-9220 315 907  
marketing@allfine.in



Attribute	AF 11 – BIJLI
VEHICLE CATEGORY	L5
PASSENGER CAPACITY	1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	76.8 V 162.5 AH LFP
BATTERY CAPACITY	12.48 Kw-h
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	10 Kw @ 6500 RPM
MAX TORQUE	85 N.m
MOTOR	4000 W PMSM
CONTROLLER	76.8V 120A WITH CAN SYSTEM
COOLING SYSTEM	Liquid cooling System for Motor & Controller
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	3320mm (L) 1340 mm (W) 1980 mm (H)
CONTAINER SIZE	1800mm (L) 1300 mm (W) 1245 mm (H)
WHEELBASE	2365 mm
REAR WHEELBASE	1165 mm
GROUND CLEARANCE	320 mm
MIN TURNING RADIUS	1700 mm
FRONT AND REAR WHEEL SIZE	4.00-12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	600 KG
MAX LOADING	≤ 1200 KG
<b>PERFORMANCE</b>	
MAX SPEED	55 Km / hr
RANGE	220 Km / charge- 76.8 V 162.5 AH LFP
GRADIENT	≤ 20 degree
<b>CHARGER</b>	
TYPE	Input AC 196 V-260 V , Output DC 86.4 V 3000 W , On-board
CHARGE TIME	3 – 4 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKING DISTANCE	3.8 m
BRAKE METHOD	Front 180 mm , Rear 220 mm Hydraulic Drum Brake
FRONT SHOCKER	Swing Arm with Shock Absorber
REAR SHOCKER	Differential System
<b>FEATURES</b>	
SPEEDOMETER	Digital Multimedia Cluster, 7-inch LCD, MP3/MP4 , Reverse Camera Image
HEADLIGHT	Dual Bi Function Class D Projector Head Lamp
INDICATOR & TAIL LIGHT	Front LED indicator, Rear LED Light
REAR MIRROR	LH & RH with Turn Signal
ANTI THEFT SYSTEM	Yes



## AF 11 BIJLI

- 100% Electric & Eco-Friendly
- Low Noise, Zero Emission
- High Load Capacity
- Compact & Easy to Operate
- Low Running & Maintenance Cost



# Designed for Business

**Built for Toughest Roads.**

## AF 7 L500 DX (Large Size)



+91-9220 315 907  
marketing@allfine.in



Attribute	AF 7 L500 DX (Large Size)
VEHICLE CATEGORY	L3
PASSENGER CAPACITY	1 Passenger
<b>BATTERY &amp; POWER</b>	
BATTERY SPEC	60.8 V 125 AH LFP
BATTERY CAPACITY	60.8 V 150 AH LFP
<b>MOTOR &amp; CONTROLLER</b>	
PEAK POWER	2.86 Kw
MAX TORQUE	34 N.m
MOTOR	1.2 KW PMSM
CONTROLLER	48 / 60 V 55A
<b>TRANSMISSION SYSTEM</b>	
TRANSMISSION TYPE	Differential Gear Box
<b>VEHICLE DIMENSIONS</b>	
OVERALL SIZE	3160 mm (L) 1260 mm (W) 1825 mm (H)
CONTAINER SIZE	1750 mm (L) 1260 mm (W) 1230 mm (H)
WHEELBASE	2210 mm
REAR WHEELBASE	1165 mm
GROUND CLEARANCE	160 mm
FRONT WHEEL SIZE	3.75 -12 inch
REAR WHEEL SIZE	3.75 -12 inch
<b>WEIGHTS</b>	
GROSS VEHICLE WEIGHT	Upto 540 Kg - 60 V 125 Ah Upto 560 Kg - 60 V 150 Ah
MAX LOADING	≤ 500 Kg
<b>PERFORMANCE</b>	
MAX SPEED	25 Km / hr
RANGE	100 Km / charge- 60 V 125 AH LFP 130 Km / charge - 60 V 150 AH LFP
GRADIENT	≤ 15 degree
<b>CHARGER</b>	
TYPE	60 V 25 Amp
CHARGE TIME	3 - 5 hrs
<b>SUSPENSION &amp; BRAKING</b>	
BRAKE METHOD	Drum Brake
FRONT SHOCKER	Telescopic with spring
REAR SUSPENSION	4 Leaf Springs with Balance Rod
<b>FEATURES</b>	
SPEEDOMETER	LCD
HEADLIGHT	Bi Function Class B Projector Head Lamp with Front Position Light
INDICATOR & TAIL LIGHT	Front & Rear LED Indicator
REAR MIRROR	LH & RH
COLOUR	Red / Blue

## AF 7 L500 DX (Large Size)

- ANTI THEFT SYSTEM
- ALLOY WHEEL
- FIRE EXTINGUISHER
- FM STEREO WITH CONSOLE PLASTIC MONEY POCKET STEPNEY
- FRONT WINDSHIELD WITH MOTOR WIPER BLADE
- FAN
- HEAVY TOOL KIT
- RUBBER MUDFLAP